

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

Hole ID		From (m)	To (m)	Interval (m)	Li2O (%)	Ta2O5 (ppm)
Press release: May 16, 2024						
CS-23-01		141.5	156	14.5	0.66	120
	Incl.	152.6	155	2.4	1.94	130
	and	189.2	195.3	6.1	0.57	129
Press release: May 16, 2024						
CS-23-04		6	37.5	31.5	1.4	163
	Incl.	16.5	25.5	9.0	1.88	148
Press release: May 16, 2024						
CS-23-05		3	23.5	20.5	1.38	164
	and	46.5	94.5	48.0	1.36	125
	Incl.	49.5	58.5	9.0	1.91	101
	and	104.9	111.6	6.8	1.38	148
	and	124.3	135.9	11.6	1.16	163
	and	148.5	177	28.5	1.59	133
	Incl.	148.5	157.5	9.0	1.91	109
Press release: May 16, 2024						
CS-23-06		3	19.3	16.3	1.63	136
	Incl.	9	15	6.0	1.88	128
	and	24	46	22.0	1.02	131
	and	57	76.5	19.5	1.76	125
	Incl.	60	66	6.0	1.83	117
Press release: August 19, 2024						
CS-24-007		9.3	23	13.8	1.61	125
	and	44.9	72	27.1	1.96	138
	Incl.	59	70.1	11.1	2.49	104
	and	95.9	99.2	3.3	1.31	120
	and	127.7	132	4.4	1.3	163
	and	139	144	5.0	1.41	108
	*and	150.2	165.3	15.1	1.02	99
	*and	170.5	178.9	8.4	0.96	120
	and	186.5	204	17.5	1.61	171
	Incl.	196	201.7	5.7	2.16	136
Press release: August 19, 2024						
CS-24-008		69.3	77.1	7.8	1.32	173
	and	82.9	102.2	19.3	1.75	127
	Incl.	86.5	92.7	6.2	2.23	105
Press release: August 19, 2024						
CS-24-009		29	38.7	9.7	1.5	143
	*and	62.6	144.7	82.1	1.43	149
	Incl.	68	83.8	15.7	1.88	155
	Incl.	124.1	137.8	13.7	1.95	159
	and	154.8	178.9	24.2	1.65	151
	Incl.	163.2	173.5	10.3	2.02	145
Press release: August 19, 2024						
	*	14.3	20.5	6.2	0.84	242
	and	37.1	44.4	7.2	1.38	263
	and	53.1	68.5	15.5	1.64	167

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

CS-24-010	and	88.9	92.3	3.4	2.02	194
	and	101	117.7	16.7	1.83	100
	and	155.1	158.4	3.3	0.94	508
	and	183.8	186.3	2.5	0.99	176
	*and	200	320.3	120.3	1.72	195
	incl.	241.5	260.5	19.0	2.06	197
	incl.	303.5	316.5	13.0	2.25	195
	and	332	338	6.0	1.99	107
Press release: October 1, 2024						
CS-24-011		12.8	28.3	15.5	0.74	163
	and	42.9	62.7	19.8	0.88	262
	and	95.2	115.7	20.5	1.57	133
	and	125.6	207.4	81.8	1.17	96
Press release: October 1, 2024						
CS-24-012		23.6	34.3	10.7	1.28	192
	and	44.9	56.1	11.2	1.61	100
	and	71.6	78.6	7.0	1.65	140
	and	112.4	128.4	16.0	0.86	71
	and	214.1	222.9	8.8	0.72	166
	and	228.3	250.7	22.4	0.98	124
	and	254	264.4	10.4	0.46	57
Press release: October 1, 2024						
CS-24-013		17	26.7	9.6	1.21	101
	and	33.6	46.8	13.1	0.91	89
	and	52.1	55.8	3.8	1.2	98
	and	62.1	76.3	14.1	0.93	149
	and	85.5	100.5	15.1	1.78	125
	and	120.4	126.5	6.1	1.62	172
	and	136.6	196.1	59.5	1.18	118
	and	277.9	284.2	6.3	1.29	118
	and	289.8	299.3	9.6	0.98	93
Press release: October 1, 2024						
CS-24-014		7.2	16.9	9.7	1.15	123
	and	36.6	57.4	20.8	1.38	73
	and	80.9	100	19.1	0.96	188
	and	171.4	198.1	26.7	0.9	124
	and	212.4	221.2	8.7	0.98	227
	and	233.3	249.6	16.3	1.31	233
	and	265.3	267.9	2.7	0.85	255
	and	304.8	324.8	19.9	0.45	124
Press release: October 1, 2024						
CS-24-015		39.8	47.3	7.4	0.55	217
	and	101.6	105.3	3.7	0.75	227
	and	115.6	122.3	6.7	0.6	105
	and	127.9	138.2	10.4	1.43	167
	and	151.1	169.6	18.5	1.47	149
Press release: October 1, 2024						
CS-24-016		43.6	59.4	15.8	1.33	150
	and	255.3	261.1	5.8	0.59	98

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

Press release: October 28, 2024						
CS-24-017		9.1	19.8	10.7	1.31	195
	and	36.9	43.1	6.2	1.52	81
	and	48.5	55.4	7.0	0.91	78
	and	75.4	79.2	3.7	0.8	122
	and	88.1	159.8	71.8	1.01	74
	incl.	145.8	159.1	13.3	1.77	97
	and	177.6	197.6	19.9	0.87	80
	and	232.2	246.4	14.2	1.12	176
	and	251.7	257.9	6.2	0.71	249
	and	265	305.6	40.6	0.5	146
	and	322.1	344.3	22.2	0.7	185
	and	359	362.3	3.3	0.65	258
	and	368.8	375.5	6.7	0.52	302
Press release: October 1, 2024						
CS-24-018		50.1	82.9	32.8	1.29	110
	and	91	99	8.0	1.33	107
	and	107.3	125	17.6	1.01	109
	and	153.2	164.2	11.0	1.08	144
	and	171.5	187.4	15.9	1.38	90
	and	202.5	418.1	215.6	1.69	79
	incl.	257	293.6	36.6	2.03	77
	incl.	317	381.5	64.6	2.29	59
	and	443	469.3	26.2	1.79	118
	and	476.8	497.7	20.8	1.04	142
Press release: October 28, 2024						
CS-24-019		19	23.8	4.8	0.79	138
	and	55.1	60.1	4.9	1.48	136
	and	120.2	128.4	8.3	1.1	99
	and	134.5	191.3	56.8	1.06	108
	incl.	160.9	170	9.1	1.8	120
	and	197.1	224.2	27.1	1.08	97
	incl.	204	213	9.0	1.79	92
	and	235.8	240.7	4.9	1.19	369
	and	322.1	331.4	9.4	0.96	151
	and	339.8	367.8	28.0	1.29	162
	incl.	363.1	367	3.9	2.35	306
	and	373.9	382.6	8.7	0.62	237
	and	392	421.8	29.8	0.94	237
	incl.	393.2	400.4	7.2	1.86	377
Press release: December 17, 2024						
CS-24-020		25.8	41.3	15.5	0.53	218
	and	63.1	65.8	2.7	1.71	111
	and	92.2	100.3	8.1	1.31	240
	and	110.8	121.8	11.0	1.21	288
	and	133.5	160	26.5	1.08	125
	and	191.8	207.6	15.8	1.43	118
	and	222.6	225.6	3.0	1.49	95
	and	233.5	239.6	6.1	1.16	108

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

	and	258.1	264.9	6.8	2.07	90
	and	277.4	286	8.6	0.86	95
	and	295.3	336.9	41.6	0.9	117
	and	342.2	355.8	13.5	1.25	54
	and	359.2	362.2	3.0	0.33	112
	and	380.7	383.9	3.2	0.42	344
Press release: October 28, 2024						
CS-24-021		89.6	92.8	3.2	1.61	105
	and	138.9	147.5	8.6	1.47	167
	and	189	192.7	3.7	1.22	173
	and	196.6	543.7	347.1	1.35	92
	incl.	217.5	230.5	13.0	1.62	72
	incl.	279.9	303.6	23.8	1.64	68
	incl.	317	347	30.0	1.76	84
	incl.	394	404	10.0	1.86	72
	incl.	417	426	9.0	1.92	70
	incl.	481.5	488.5	7.0	1.85	97
	incl.	510	518	8.0	1.61	106
Press release: December 9, 2024						
CS-24-022		135.5	150.2	14.7	0.85	154
	and	159.7	201	41.3	0.89	138
	and	242.7	246.3	3.6	0.93	111
	and	260.3	289.9	29.7	1.6	61
	and	308.1	311.1	3.0	0.9	81
	and	317.4	319.7	2.4	1.11	79
	and	328.4	384.2	55.8	1.6	54
	and	400.4	452.7	52.3	1.78	37
	incl.	408	429	21.0	2.46	28
	and	471.1	518.2	47.2	1.55	59
	incl.	503.7	514.5	10.7	2.57	31
	and	524.6	536.2	11.6	1.32	47
Press release: December 9, 2024						
CS-24-023		7.6	10.5	3.0	0.73	170
	and	59.9	62.7	2.7	0.47	152
	and	71.4	96.1	24.7	1.26	106
	and	119.1	124.8	5.7	1.41	101
	and	147.9	152.3	4.4	1.21	116
	and	170.2	193.5	23.3	1.03	66
	and	223.8	251.9	28.0	1.63	51
	and	258.1	446.7	188.6	1.56	86
	incl.	410	436	26.0	2.03	59
	and	457.5	461.8	4.3	1.67	65
	and	474.8	483.3	8.6	1.72	98
	and	508.7	519.9	11.2	0.96	50
	and	572.2	609.1	36.9	0.37	41
Press release: May 27, 2025						
CS-25-024A		184.5	187	2.5	0.5	490
	and	332.5	341.7	9.2	0.95	85
	and	363.6	370.9	7.4	1.25	81

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

	and	510.4	549.9	39.5	1.16	112
Press release: May 27, 2025						
CS-25-025		298.2	327.1	29.0	1.1	81
	and	344.5	355.9	11.5	1.67	69
	and	368.5	397	28.5	0.94	52
	and	424.2	432.9	8.6	0.92	43
	and	447.9	468.3	20.4	1.13	49
	and	484.3	488.3	4.0	0.99	104
Press release: May 27, 2025						
CS-25-026		130.8	134.5	3.8	0.8	245
	and	220.7	224.2	3.4	0.32	260
	and	326.4	347.6	21.2	1.38	256
	and	399.8	405.6	5.9	1.07	143
	and	416	439.2	23.2	1.42	81
	and	457.8	460.5	2.7	0.37	197
	and	467.9	478	10.1	1.32	110
	and	486.3	510.2	23.9	1.46	106
	and	581.8	591.7	9.9	0.81	89
Press release: May 27, 2025						
CS-25-027		185.4	187.7	2.3	1.24	83
	and	224.1	232.2	8.1	1.03	159
	and	236.7	247.5	10.9	0.77	109
	and	253.3	432.9	179.6	1.66	67
	and	459.8	517.8	58.0	1.75	77
	and	528.4	620.1	91.8	1.81	69
Press release: June 10, 2025						
CS-25-028		142.2	161.8	19.6	1.43	295
	and	177.2	185.2	8.0	1.22	155
	and	304.7	307.6	2.8	0.85	76
	and	404.2	423.5	19.3	0.92	152
	and	445.5	454.6	9.0	1.47	94
	and	498	501.5	3.5	0.69	122
	and	506.5	509.9	3.4	1.36	205
	and	516.5	565.9	49.4	1.33	188
Press release: June 10, 2025						
CS-25-029		252.8	258.6	5.7	0.54	194
	and	287.3	291.3	4.0	1.42	123
	and	330.9	344.7	13.8	1.12	69
	and	406.8	415.7	8.9	0.75	149
	and	431.9	451.4	19.5	0.97	99
	and	456.5	482.9	26.5	1.25	130
	and	490.5	492.5	2.0	0.35	112
	and	503.5	505.9	2.4	0.77	86
Press release: June 10, 2025						
CS-25-030		239.3	252.3	13.0	0.82	132
	and	295.9	308.3	12.4	1.47	107
	and	342.6	395.3	52.7	0.83	154
Press release: June 10, 2025						
		381.3	385.9	4.6	0.96	74

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

CS-25-031	and	402.9	407.3	4.4	1.18	68
	and	422.9	441.6	18.7	1.5	41
	and	468.9	490.1	21.2	1.38	70
	and	526.5	560.4	33.9	1.19	60
Press release: June 10, 2025						
CS-25-032	no significant mineralization					
Press release: June 10, 2025						
CS-25-033		480.1	484.2	4.1	1.28	51
	and	518.4	537.1	18.7	1.4	66
	and	545.4	572.8	27.3	1.39	78
Press release: June 10, 2025						
CS-25-034	no significant mineralization					
Press release: June 10, 2025						
CS-25-035		92.3	97.2	4.9	0.49	118
Press release: June 10, 2025 and September 29, 2025						
CS-25-036		17.86	41.5	23.6	0.96	67
	and	69.9	75.5	5.6	1.20	195
	and	81.88	99.79	17.9	0.80	76
	and	107.15	113.25	6.1	1.50	141
	and	129.53	132.58	3.1	2.18	73
	and	149.92	168.03	18.1	1.02	93
	and	173.32	237.64	64.3	1.34	76
	and	251.65	271.65	20.0	1.56	91
	and	280.69	553.16	272.5	1.61	57
Press release: June 10, 2025						
CS-25-037	no significant mineralization					
Press release: September 29, 2025						
CS-25-038		37.8	40.7	2.9	0.83	99
	and	109.5	141.3	31.8	1.62	101
	and	156.8	215.7	58.9	1.09	163
	and	221.9	288.4	66.5	1.55	96
	and	297.8	314.9	17.1	1.67	101
	and	327.5	365.9	38.4	1.13	62
	and	373.8	378.1	4.3	1.32	56
	and	388.3	391.7	3.4	0.33	87
	and	409.6	431.9	22.3	1.55	38
	and	442.0	456.1	14.1	0.70	75
	and	470.9	476.8	5.8	0.77	83
	and	497.9	518.9	21.1	1.30	87
	and	523.8	532.0	8.2	0.47	214
	and	541.5	551.3	9.8	0.85	169
	and	563.5	576.3	12.8	1.17	234
	and	582.6	596.6	13.9	0.52	310
	and	627.8	645.4	17.6	1.57	117
Press release: September 29, 2025						
	and	28.4	41.1	12.7	1.23	122
	and	47.1	54.9	7.8	1.13	407
	and	66.4	83.8	17.4	1.52	101
	and	155.5	159.9	4.5	1.46	70

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

CS-25-039	and	173.7	244.6	71.0	1.84	79
	and	251.0	328.7	77.7	1.48	65
	and	338.8	446.2	107.4	1.87	60
	and	456.3	458.7	2.4	0.93	68
	and	472.4	474.8	2.5	1.23	66
	and	485.2	500.4	15.2	1.91	63
	and	514.8	623.3	108.5	1.62	79
Press release: December 01, 2025						
CS-25-040		163.9	168.7	4.8	1.45	123
	and	180.0	183.8	3.8	0.65	231
	and	224.5	233.7	9.3	1.41	110
	and	276.5	289.5	13.0	1.01	68
	and	293.1	359.5	66.5	1.26	73
	and	363.4	373.1	9.7	1.72	75
	and	377.7	459.5	81.9	1.56	79
	and	464.2	559.3	95.1	1.56	83
	and	565.3	572.9	7.6	1.30	162
	and	576.2	581.4	5.2	1.84	101
	and	586.3	602.7	16.4	1.65	91
	and	619.4	641.6	22.2	1.05	98
Press release: December 01, 2025						
CS-25-041		73.9	78.2	4.3	0.57	183
	and	91.3	100.5	9.2	1.45	113
	and	189.5	208.1	18.6	1.41	138
	and	213.1	266.9	53.9	1.53	124
	and	270.8	272.9	2.1	0.92	163
	and	278.7	319.8	41.2	1.31	125
	and	323.4	377.4	54.0	1.21	90
Press release: December 01, 2025						
CS-25-042		70.2	102.3	32.1	1.14	71
	and	110.0	128.7	18.7	1.36	94
	and	133.4	139.4	6.1	1.32	79
	and	143.7	169.8	26.1	1.13	109
	and	190.0	216.5	26.5	1.53	63
	and	220.1	227.6	7.5	1.16	73
	and	231.2	236.5	5.4	1.43	79
	and	242.3	250.5	8.3	1.41	62
	and	258.4	284.8	26.3	1.47	92
	and	293.1	302.6	9.5	0.76	61
	and	331.4	341.9	10.5	1.77	100
	and	345.2	349.4	4.3	0.88	86
	and	352.8	355.4	2.6	1.08	152
	and	360.1	392.8	32.7	1.56	95
	and	430.1	442.7	12.6	0.70	59
	and	505.0	517.4	12.4	0.89	60
Press release: December 01, 2025						
		19.9	23.0	3.2	0.84	220
	and	37.8	46.9	9.1	0.79	80
	and	59.2	69.9	10.7	0.95	176

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

CS-25-043	and	78.4	100.6	22.2	1.38	150
	and	131.1	140.6	9.5	1.42	139
	and	142.8	149.7	7.0	1.63	129
	and	153.9	180.2	26.3	0.87	154
	and	189.3	201.7	12.4	1.86	81
	and	210.8	231.8	21.0	1.09	121
	and	243.2	281.4	38.2	1.47	79
	and	303.6	317.7	14.1	0.81	97
	and	354.9	363.9	8.9	1.39	79
	and	398.9	420.2	21.4	1.52	176
	and	444.3	459.5	15.1	1.21	257
	and	464.6	476.9	12.3	1.53	115
	and	482.0	494.9	12.9	1.16	160
Press release: December 03, 2025						
CS-25-044		78.8	115.8	36.9	1.65	109
	and	187.6	645.0	457.4	1.65	94
	and	652.2	654.8	2.6	1.01	211
Press release: December 03, 2025						
CS-25-045		24.0	27.2	3.3	1.33	228
	and	61.0	64.9	3.9	1.37	260
	and	84.4	86.7	2.3	1.74	184
	and	90.5	96.5	6.0	1.64	168
	and	100.3	105.1	4.8	1.55	189
	and	137.8	148.8	11.0	1.55	119
	and	168.6	173.3	4.7	0.39	112
	and	207.2	211.3	4.2	0.87	81
	and	232.3	246.3	14.0	1.35	137
	and	386.4	392.1	5.6	1.23	505
Press release: December 03, 2025						
CS-25-046		180.7	192.0	11.3	1.53	89
	and	197.1	200.2	3.1	0.89	111
	and	205.1	207.5	2.4	2.19	104
	and	214.4	225.0	10.6	1.51	96
	and	264.3	282.7	18.4	1.43	128
	and	340.3	345.2	4.9	1.55	111
	and	350.2	387.4	37.2	1.48	163
Press release: December 03, 2025						
CS-25-047		206.2	217.2	11.0	1.44	135
	and	229.4	243.3	14.0	0.90	101
	and	278.6	284.4	5.8	1.36	128
	and	301.2	305.5	4.3	0.82	115
	and	575.5	591.1	15.6	0.96	154
	and	636.4	645.5	9.1	1.59	66
Press release: January 22, 2026						
		24.8	26.9	2.1	0.82	239
	and	77.4	80.7	3.3	0.84	237
	and	105.3	107.4	2.2	0.30	204
	and	111.3	114.8	3.6	0.40	169

CISCO PROJECT

CS-25-048	and	118.3	120.9	2.5	0.91	224
	and	125.9	129.3	3.4	1.15	206
	and	151.3	175.0	23.8	1.25	141
	and	221.2	239.2	18.0	1.43	98
	and	244.7	247.2	2.6	1.08	90
	and	251.8	256.9	5.1	1.10	236
	and	269.2	274.5	5.2	0.91	145
	and	282.4	287.3	4.9	1.31	111
	and	298.6	312.9	14.2	1.23	87
	and	318.4	328.4	10.0	1.08	104
	and	334.2	338.4	4.1	1.19	155
	and	346.0	356.3	10.3	1.50	75
	and	360.3	368.4	8.0	1.57	79
	and	380.8	383.6	2.8	1.10	61
	and	416.8	420.6	3.9	1.52	76
and	433.2	436.0	2.7	0.47	311	
Press release: January 22, 2026						
CS-25-049		269.7	275.0	5.4	1.39	87
	and	335.5	339.4	3.9	0.98	68
	and	343.4	360.0	16.6	1.16	103
	and	363.7	369.6	5.9	1.08	148
	and	375.4	393.4	18.1	0.49	65
	and	435.4	452.6	17.2	1.38	91
Press release: January 22, 2026						
CS-25-050		17.7	25.7	8.0	1.03	96
	and	33.5	43.9	10.4	1.12	123
	and	58.1	65.5	7.3	1.28	173
	and	78.6	93.2	14.6	1.03	108
	and	96.5	99.7	3.2	1.41	90
	and	109.9	116.2	6.2	1.69	66
	and	122.2	130.4	8.2	1.17	67
	and	134.3	136.3	2.0	0.97	75
	and	222.9	231.4	8.5	1.07	242
	and	245.2	252.4	7.2	1.33	142
	and	256.5	261.3	4.9	1.04	437
	and	311.9	318.3	6.4	0.30	225
	and	327.1	329.2	2.1	0.69	342
	and	337.8	341.9	4.0	0.63	197
	and	345.2	352.0	6.8	0.39	413
Press release: January 22, 2026						
CS-25-054		29.4	46.5	17.1	1.22	163
	and	62.6	69.6	7.1	1.10	74
	and	103.4	106.5	3.1	0.79	73
Press release: January 22, 2026						

CISCO PROJECT

CS-25-057		461.0	496.8	35.8	1.51	75
	and	503.8	506.6	2.8	0.45	139
	and	543.7	551.8	8.1	1.37	76
	and	555.9	570.8	14.9	1.38	82
	and	578.9	581.4	2.5	0.43	138
	and	590.3	640.0	49.8	1.41	69
Press release: January 22, 2026						
CS-25-059		28.7	30.7	2.0	0.80	286
	and	34.1	40.7	6.6	1.75	174
	and	43.9	51.5	7.7	1.31	169
	and	58.1	68.9	10.9	1.23	173
	and	125.4	127.8	2.5	0.28	89
Press release: January 22, 2026						
CS-25-061		16.7	25.1	8.3	1.17	128
	and	47.5	52.8	5.3	1.21	99
	and	62.9	70.8	7.8	1.14	175
	and	108.4	112.7	4.3	0.92	186
	and	119.2	122.9	3.7	0.76	489
	and	146.5	157.6	11.1	0.94	175
	and	174.9	179.0	4.1	1.55	182
	and	252.4	257.8	5.4	1.18	432
	and	306.9	309.6	2.7	0.45	335
Press release: January 22, 2026						
CS-25-062		80.0	83.8	3.8	1.18	207
	and	92.0	96.8	4.8	0.95	133
	and	136.0	149.4	13.4	0.60	163
	and	159.5	161.7	2.1	0.75	128
	and	165.5	171.7	6.2	1.36	111
	and	182.5	204.6	22.2	1.32	110
	and	225.9	240.9	15.0	1.26	109
	and	247.3	258.5	11.2	0.89	108
	and	293.4	313.8	20.4	0.98	120
	and	330.9	333.7	2.8	0.72	254
	and	368.2	396.4	28.3	1.24	137
	and	408.0	428.6	20.6	0.53	98
Hole CS-25-63: Results Pending						
Hole CS-25-64: Results Pending						
Press release: January 22, 2026						
CS-25-065		29.8	36.9	7.2	1.24	226
	and	54.6	64.7	10.1	0.79	254
	and	68.7	84.4	15.7	1.48	185
	and	96.4	275.6	179.2	1.24	85
	and	281.9	295.5	13.7	1.14	82
Press release: January 22, 2026						

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

Exploration Drilling Near CO2						
CS-25-051		52.9	60.0	7.2	0.74	98
Press release: January 22, 2026						
CS-25-052		158.3	176.4	18.1	0.68	127
	and	314.0	323.7	9.7	0.67	89
Press release: January 22, 2026						
Hydrogeology Drilling (HQ)						
CS-25-053		95.5	114.0	18.5	1.82	162
Press release: January 22, 2026						
CS-25-055		48.3	87.6	39.3	1.13	103
	and	96.7	99.7	3.0	0.68	374
Press release: January 22, 2026						
CS-25-056		23.1	29.5	6.3	1.41	114
	and	35.1	66.1	31.0	1.51	185
	and	71.0	74.7	3.7	1.52	141
	and	85.2	88.1	2.9	1.03	106
	and	93.8	101.9	8.2	1.06	72
	and	117.7	128.9	11.2	0.58	136
	and	154.9	203.7	48.9	1.44	74
Press release: January 22, 2026						
CS-25-058		77.9	92.0	14.1	1.10	119
Press release: January 22, 2026						
CS-25-060		84.2	88.8	4.7	1.07	143
CS-25-063		37.3	41.7	4.4	1.16	308
	and	52.6	56.7	4.2	0.68	226
	and	105.2	109.4	4.2	1.79	140
	and	111.2	113.5	2.3	1.03	154
	and	144.3	148.4	4.1	1.72	89
	and	167.2	176.3	9.1	1.73	113
	and	194.0	197.8	3.8	1.03	83
	and	220.8	225.4	4.7	0.89	62
	and	234.6	251.8	17.2	1.00	117
	and	268.1	287.0	18.9	0.81	104
	and	305.7	327.4	21.8	1.12	106
	and	333.0	335.3	2.4	0.61	177
	and	375.5	450.9	75.4	1.67	67
CS-25-064		91.4	93.6	2.2	0.90	99
	and	200.1	203.7	3.6	1.16	100
	and	263.1	291.7	28.7	1.81	133
	and	297.5	311.0	13.5	1.76	102
	and	338.5	505.2	166.7	1.47	90
	and	530.4	544.5	14.0	1.32	59

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

	and	563.4	570.2	6.8	1.25	83
	and	583.3	634.7	51.4	0.61	68
	and	638.3	646.5	8.2	0.23	74
CS-25-066		241.4	252.2	10.9	1.29	132
	and	266.8	277.8	11.0	0.88	212
	and	290.9	300.3	9.4	0.42	203
	and	492.9	499.7	6.8	0.94	63
	and	549.3	555.9	6.6	1.62	77
	and	581.6	607.3	25.7	1.65	55
	and	624.5	635.0	10.5	0.70	164
	and	648.0	661.9	13.9	1.80	55
	and	667.1	719.4	52.2	1.35	57
CS-25-067		81.3	87.1	5.8	0.64	253
	and	92.6	109.5	16.9	0.94	161
	and	125.7	141.9	16.2	0.86	109
	and	149.3	155.8	6.4	0.62	79
	and	168.5	174.9	6.3	1.12	54
	and	181.7	238.6	56.9	1.04	88
	and	246.2	259.8	13.6	1.54	105
	and	263.9	269.8	5.9	0.77	50
	and	306.6	316.4	9.8	1.47	60
	and	319.6	323.5	3.9	0.97	53
	and	335.1	356.5	21.4	0.97	70
CS-25-070		198.5	205.3	6.8	0.73	149
	and	344.2	357.6	13.4	1.76	108
	and	368.4	391.3	22.9	1.15	147
	and	397.0	430.5	33.6	1.54	92
	and	470.7	481.1	10.4	0.86	98
	and	496.8	498.8	2.0	1.53	96
	and	515.4	549.1	33.8	1.74	62
	and	554.3	571.4	17.1	1.74	69
	and	579.0	589.4	10.5	1.14	36
	and	611.7	646.0	34.3	0.78	56
	and	650.2	669.6	19.4	0.37	69
	and	677.5	682.6	5.2	1.76	341

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

CS-25-072		42.4	53.9	11.4	1.21	447
	and	178.7	181.0	2.3	0.97	380
	and	234.2	247.2	13.0	0.61	235
	and	277.2	286.5	9.3	1.14	138
	and	305.9	388.1	82.1	1.71	83
	and	405.8	515.3	109.5	1.67	67
	and	523.8	527.6	3.8	1.23	43
	and	532.9	654.4	121.6	1.45	69
CS-25-073		161.2	235.4	74.2	0.94	104
	and	240.9	253.7	12.7	1.29	71
	and	263.1	341.6	78.5	1.47	79
	and	347.7	517.9	170.2	1.99	43
	incl.	422.2	462.3	40.1	2.89	22
	and	543.3	652.0	108.7	1.52	67
CS-25-075		319.7	335.6	15.9	1.17	129
	and	344.8	357.3	12.6	0.89	115
	and	363.1	368.4	5.3	0.64	199
	and	376.3	393.7	17.5	1.56	102
	and	438.1	461.6	23.5	1.58	66
	and	472.3	477.8	5.5	1.30	80
	and	482.4	527.8	45.4	1.44	52
	and	569.0	579.4	10.4	0.77	56
	and	595.3	641.8	46.5	1.61	57
	and	653.7	671.5	17.8	1.31	54
	and	678.0	687.1	9.1	0.94	146
CS-25-076		7.3	10.6	3.4	1.19	154
	and	16.4	24.9	8.5	1.85	169
	and	34.8	38.9	4.1	1.48	181
	and	43.4	76.4	33.0	0.79	107
	and	107.4	132.9	25.6	0.34	184
CS-25-071		201.5	210.5	9.0	0.76	116
	and	225.7	242.2	16.4	1.69	122
	and	313.5	336.0	22.5	1.55	93
	and	460.1	724.6	264.6	1.84	59
	and	734.7	741.8	7.1	1.23	39
	and	759.3	912.1	152.9	1.59	60
CS25-074		393.1	402.8	9.7	1.55	68
	and	409.0	611.8	202.7	1.58	66
	and	636.9	733.7	96.8	1.64	50

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

CS26-077		27.8	38.4	10.6	0.35	190
	and	56.3	68.3	12.1	0.78	262
	and	74.8	153.5	78.7	1.25	141
	and	317.5	425.3	107.8	1.74	53
CS26-078		21.2	31.3	10.2	2.15	439
	and	45.1	54.2	9.2	0.54	508
	and	124.9	130.5	5.6	0.96	294
	and	148.2	167.5	19.3	0.68	289
	and	238.7	262.5	23.9	1.26	270
	and	306.6	315.0	8.3	1.05	271
	and	327.3	332.8	5.6	0.97	215
	and	346.4	379.1	32.7	1.68	192
	and	397.6	637.9	240.4	1.60	91
	and	669.3	677.1	7.8	0.64	126
	and	695.0	721.3	26.4	1.55	48
	and	738.0	748.8	10.8	0.49	99
	and	757.2	762.7	5.6	0.39	45
CS26-079		176.6	181.9	5.3	0.87	169
	and	187.9	192.8	4.8	0.56	220
	and	251.5	286.6	35.0	1.48	111
	and	307.1	312.7	5.6	0.59	97
	and	325.7	340.7	15.0	1.88	58
	and	345.9	358.4	12.6	1.55	73
	and	368.1	380.7	12.6	1.55	63
	and	390.8	400.6	9.8	1.51	64
	and	407.4	463.4	55.9	1.23	68
	and	487.1	497.3	10.2	1.52	91
	and	503.8	630.5	126.7	1.70	98
	and	640.4	653.6	13.2	1.01	206
	and	672.3	729.3	57.0	1.31	134
CS26-080		75.8	108.9	33.1	1.29	73
	and	117.1	156.3	39.2	1.03	72
	and	169.2	187.2	18.0	1.56	75
	and	200.0	231.8	31.9	1.14	60
	and	241.6	247.1	5.6	1.57	87
	and	252.7	281.9	29.2	1.26	53
	and	297.1	313.1	16.0	1.28	77
	and	332.2	352.3	20.1	0.94	89
	and	365.2	457.7	92.5	1.53	48

CISCO PROJECT

CS26-081		63.9	72.1	8.2	0.98	274
	and	78.7	105.7	27.0	1.27	126
	and	119.6	137.5	18.0	1.57	107
	and	141.7	157.7	16.0	1.07	115
	and	177.5	197.6	20.1	1.26	128
	and	204.0	217.5	13.5	1.46	101
	and	231.7	268.5	36.9	1.47	83
	and	293.1	310.5	17.4	1.35	80
	and	323.3	351.2	27.9	1.09	117
	and	362.2	384.6	22.4	1.30	111
	and	392.6	406.7	14.1	0.96	83
CS26-082		125.2	170.4	45.2	1.15	91
	and	224.3	229.7	5.4	0.81	210
	and	239.9	282.1	42.2	1.40	161
CS26-084		46.1	73.1	27.0	1.31	83
	and	89.3	122.4	33.1	1.15	85
	and	133.3	146.5	13.2	1.40	55
	and	166.5	212.7	46.2	0.89	93
	and	218.4	250.4	32.0	1.23	70
	and	261.7	444.2	182.5	1.46	120
CS26-085		70.5	87.8	17.3	0.87	84
	and	105.3	112.5	7.2	1.23	107
	and	133.7	141.6	7.9	1.36	122
	and	179.3	187.9	8.5	0.70	141
	and	246.1	281.4	35.3	1.44	101